




SGI Swedish Geotechnical Institute

***In-situ* capping of contaminated sediments**

References

Joseph Jersak, Gunnel Göransson, Yvonne Ohlsson,
Lennart Larsson, Peter Flyhammar, Per Lindh



SGI Publication 30-6E

Linköping 2016

SGI Publication 30-6E

Cite as:

Jersak, J, Göransson, G, Ohlsson, Y, Larsson, L, Flyhammar, P & Lindh, P 2016. *In-situ capping of contaminated sediments. References*. SGI Publication 30-6E, Swedish Geotechnical Institute, SGI, Linköping.

Diary number: 1.1-1506-0400

Project number: 15573

Order information:

Swedish Geotechnical Institute
Information Service
SE-581 93 Linköping, Sweden
Phone: +46 13-20 18 04
E-mail: info@swedgeo.se

Download this publication as a PDF-document
at www.swedgeo.se

Pictures on the cover: AquaBlok, Ltd. (left),
B. Beylich, NIVA (middle), BioBlok Solutions AS (right).

***In-situ* capping of contaminated sediments**

References

Joseph Jersak
Gunnel Göransson
Yvonne Ohlsson
Lennart Larsson
Peter Flyhammar
Per Lindh

Table of contents

References **7**

The entire SGI Publication 30 set includes the following independent parts:

[SGI Publication 30-1, Huvuddokument.](#) *In-situ* övertäckning av förorenade sediment. Metodöversikt. (In Swedish)

[SGI Publication 30-1E, Main text.](#) *In-situ* capping of contaminated sediments. Method overview.

[SGI Publication 30-2E.](#) *In-situ* capping of contaminated sediments. Contaminated sediments in Sweden: A preliminary review.

[SGI Publication 30-3E.](#) *In-situ* capping of contaminated sediments. Established *ex-situ* and *in-situ* sediment remediation technologies: A general overview.

[SGI Publication 30-4E.](#) *In-situ* capping of contaminated sediments. Remedial sediment capping projects, worldwide: A preliminary overview.

[SGI Publication 30-5E.](#) *In-situ* capping of contaminated sediments. Capping Sweden's contaminated fiberbank sediments: A unique challenge.

[SGI Publication 30-6E.](#) *In-situ* capping of contaminated sediments. An extensive, up-to-date collection of relevant technical and other international references.

[SGI Publication 30-7.](#) *In-situ* övertäckning av förorenade sediment. Övergripande sammanfattning. (In Swedish)

[SGI Publication 30-7E.](#) *In-situ* capping of contaminated sediments. Overall summary.

[Fact sheet.](#) *In-situ* capping of contaminated sediments. Method overview.

References

- Adriaens, P., S. Wright, C. Gruden, J. Wolfe, T. Redder, N. Barabas and J. DePinto. 2009. Integrating Uncertainty Analysis in the Risk Characterization of In-Place Remedial Strategies for Contaminated Sediments. SERDP Project ER-1371. March 2009.
- Alcoa. 2005. Remedial Options Pilot Study Work Plan. Grasse River Study Area, Massena, New York. Alcoa, Inc. Massena, New York. February 11, 2005.
- Alcoa. 2006. In-Situ PCB Bioavailability Reduction in Grasse River Sediments, Final Work Plan. August 2006.
- Anchor QEA, LLC. (Anchor QEA). 2009. Appendix D, Erosion Protection Layer / Armor Layer Design. In Draft Onondaga Lake capping and dredge area and depth initial design submittal. December 2009.
- Anchor QEA. 2015. Helsingborg, Södra Hamnen, Sediment Isolation Cap, Preliminary Design Recommendations. December 2015.
- Anchor QEA and Parsons. 2012b. Construction Quality Assurance Plan, Onondaga Lake, Capping, Dredging, and Habitat. August 2012.
- Anchor QEA and SAO Environmental Consulting AB (SAO). 2014. Modeled Performance of Active Versus Passive Sediment Caps. Available upon request from SAO, www.saoec.se.
- ARCADIS BBL and Hart Crowser, Inc. 2008a. Final NAPL Investigation Report, Pine Street Canal Superfund Site, Burlington, Vermont. February 1, 2008.
- ARCADIS BBL and Hart Crowser, Inc. 2008b. Final NAPL Controls Report, Pine Street Canal Superfund Site, Burlington, Vermont. June 20, 2008.
- Association of State and Territorial Solid Waste Management Officials (ASTSWMO). 2007. Guide to the Assessment and Remediation of State-Managed Sediment Sites. Sediments Focus Group. June 2007.
- ASTSWMO. 2009. Framework for Long-Term Monitoring of Hazardous Substances at Sediment Sites. Sediments Focus Group. January 2009.
- ASTSWMO. 2013. Sediment Remedy Effectiveness and Recontamination: Selected Case Studies. Sediment Focus Group. April 2013.
- Bailey, S. and M. Palermo. 2005. Equipment and Placement Techniques for Subaqueous Capping, DOER Technical Notes Collection. ERDC TN-DOER-R9. U.S. Army Engineer Research and Development Center (ERDC), Vicksburg, MS.
- Barabas, N., T. Redder, J. DePinto, J. Wolfe, P. Adriaens and S. Wright. 2009. Gas Ebullition in Sediments – Mechanisms, Impacts, and Representation in Models. In *Remediation of Contaminated Sediments - 2009. Proceedings of the Fifth International Conference on Remediation of Contaminated Sediments*. Battelle, primary sponsor. Jacksonville, FL, February 2-5, 2009.

- Barabas, N., T. Redder, J. DePinto, J. Wolfe, P. Adriaens and S. Wright. 2013. An Overview of Gas Ebullition in Sediments. In *Remediation of Contaminated Sediments - 2013. Proceedings of the Seventh International Conference on Remediation of Contaminated Sediments*. Battelle, primary sponsor. Dallas, TX. February 4-7, 2013.
- Barth, E., D. Reible and A. Bullard. 2008. Evaluation of the Physical Stability, Groundwater Seepage Control, and Faunal Changes Associated with an AquaBlok® Sediment Cap. *Remediation*. Autumn Issue, pp. 63-70.
- Bates, M., M. Sparrevik, N. de Lichy and I. Linkov. 2014. The Value of Information for Managing Contaminated Sediments. *Environ. Sci. Technol.* Vol. 48, No. 16, pp. 9478-9485.
- Bessinger, B., D. Vlassopoulos, S. Serrano and P. O'Day. 2012. Reactive Transport Modeling of Subaqueous Sediment Caps and Implications for the Long-Term Fate of Arsenic, Mercury, and Methylmercury. *Aquat. Geochem.* Vol. 18, pp. 297-326.
- Biologge AS, 2009. Sediment Capping in Kirkebukten: Potential for Influence of the Sea-Bottom Slope Factor on Success in Cap Construction. Project Memorandum 7. July 2009. Internal document. Available upon request of SAO.
- Bishop, D. 1998. Perspective on Remediation and Natural Recovery of Contaminated Sediments. In: Proceedings, National Conference on Management and Treatment of Contaminated Sediments. Cincinnati, OH, May 13-14, 1997.
- BBL. 2006. Pilot study work plan for Silver Lake sediments. June 2006.
- Bergman, R. 2012. Projekt Turingen: Turingen, vad har hänt med sjön som fick ny botten? Presented at Vattendagarna workshop, Jönköping, October 2012. In Swedish.
- Borrowman, T., P. Schroeder and J. Gailani. 2013. Geotechnical Considerations for Addressing Physical Stability of Caps. In *Remediation of Contaminated Sediments - 2013. Proceedings of the Seventh International Conference on Remediation of Contaminated Sediments*. Battelle, primary sponsor. Dallas, TX. February 4-7, 2013.
- Bridges, T., S. Ells, D. Hayes, D. Mount, S. Nadeau, M. Palermo, C. Patmont and P. Schroeder. 2008. The Four Rs of Environmental Dredging: Resuspension, Release, Residual, and Risk. U.S. Army Corps of Engineers (USACE), Engineer Research and Development Center (ERDC), Dredging Operations and Environmental Research Program. February 2008.
- Bridges, T., K. Gustavson, P. Schroeder, S. Ells, D. Hayes, S. Nadeau, M. Palermo and C. Patmont. 2010. Dredging Processes and Remedy Effectiveness: Relationship to the 4 Rs of Environmental Dredging. *Integrated Environmental Assessment and Management*, Vol. 6, No. 4, pp. 619-630.
- Brodie, R., B. Sundaram, R. Tottenham, S. Hostetler and T. Ransley. 2007. An Overview of Tools for Assessing Groundwater-Surface Water Connectivity. Bureau of Rural Sciences, Canberra, Australia.
- Carroll, S., J. Barrett, W. Haswell, W. Fisher and M. Okin. 2009. Field-scale pilot test of a reactive core mat to address MGP coal tar seepage. In *Remediation of Contaminated Sediments - 2009. Proceedings of the Fifth International Conference on Remediation of Contaminated Sediments*. Battelle, primary sponsor. Jacksonville, FL, February 2-5, 2009.

Chadwick, B. and A. Hawkins. 2008. Monitoring of Water and Contaminant Migration at the Groundwater-Surface Water Interface (ER200422), Final Cost and Performance Report, Technical Report 1966. January 2008.

Chapman, P. 2011. Framework for Addressing and Managing Aquatic Contaminated Sites Under the Federal Contaminated Sites Action Plan (FCSAP). Golder Associates Ltd, Burnaby (BC), Canada.

Chapman, P. and M. Smith. 2012. Viewpoint: Assessing, managing and monitoring contaminated aquatic sediments. *Marine Poll. Bull.* Vol. 64, pp. 2000-2004.

City Coordinating Council (CCC). 2007. December 5, 2007 Meeting related to the Silver Lake sediment capping project, draft meeting highlights. Available on-line.

Clarke, D., M. Palermo and T. Sturgis. 2001. Subaqueous Cap Design: Selection of bioturbation profiles, depths, and rates, DOER Technical Notes Collection. ERDC TN-DOER-C21. U.S. Army Engineer Research and Development Center (ERDC), Vicksburg, MS. August 2001.

Collins, J., J. Bleiler, K. Gardner and S. Greenwood. 2012. Evaluation of Activated Carbon Treatment Technologies in a PCB-Contaminated Wetland. Passaic River Symposium, 19 October, 2012.

Colton, J. 2010. Pier 53-55 Sediment Cap and Enhanced Natural Recovery Area Remediation Project, 2002 Data and Final Report. Elliot Bay / Duwamish Restoration Program Panel, Panel Publication 43. June 2010.

Committee on Contaminated Marine Sediments (CCMS). 1997. Contaminated Sediments in Ports and Waterways - Cleanup Strategies and Technologies. Marine Board; Commission on Engineering and Technical Systems and National Research Council. National Academy Press.

COWI. 2013. Den Grønne Manual, Norska Erfarenheter av Förorenade Sediment: Åtgärdsmetoder och Sanering. Rapport från projekt Hav möter Land (Svensk översättning). 15 February, 2013.

Crannell, B., T. Eighmy, G. Hall, C. Wilson, D. Reible and M. Yin. 2004. Pilot-Scale Reactive Barrier Technologies for Containment of Metal-Contaminated Sediments and Dredged Materials. A Final Report Submitted to: The NOAA/UNH Cooperative Institute for Coastal and Estuarine Environmental Technology (CICEET). November 2004.

Cridge, T., S. Messur, M. Graveling, A. Silber and S. Svirsky. 2009. Capping soft sediments: Incorporating lessons learned from a pilot study into design. In *Remediation of Contaminated Sediments - 2009. Proceedings of the Fifth International Conference on Remediation of Contaminated Sediments*. Battelle, primary sponsor. Jacksonville, FL, February 2-5, 2009.

Cornelissen, G., M. Elmquist-Kruså, G. Breedveld, E. Eek, A. Oen, H. Arp, C. Raymond, G., Samuelsson, J. Hedman, Ö. Stokland and J. Gunnarsson. 2011. Remediation of contaminated marine sediment using thin-layer capping with activated carbon – a field experiment in Trondheim Harbor, Norway. *Environ. Sci. Technol.* Vol. 45, pp. 6110-6116.

Dalton, M. 2007. Recontamination of Waterway Cap, Thea Foss Waterway, Tacoma, Washington. Proceedings of the Eighteenth World Dredging Congress (WODCON XVIII). Lake Buena Vista, FL. May 27 – June 1, 2007.

Dixon, K. and A. Knox. 2012. Sequestration of Metals in Active Cap Materials: A Laboratory and Numerical Evaluation. *Remediation*. Spring Issue, pp. 81-91.

Det Norske Veritas AS (DNV). 2008. Salvage of U-864 - Supplementary Studies - Study No. 11: Assessment of Future Spreading of Mercury for the Capping Alternative. Report No. 23916-1, Prepared by Det Norske Veritas (DNV Consulting) for Kystverket (Norwegian Coastal Administration), Oslo, Norway. Report authors: J. Laugesen; T. Möskeland; H. Östböll; A.B. Brautaset; D. Reible; U. Skyllberg; M. Palermo; A. Teeter; J. Skei; E. Eek; R.A. Kleiv and J. Jersak.

DNV. 2011. Kostnader ved gjennomføring av tiltak i sedimenter. DNV internal documentation, prepared and provided by Dr. Jens Laugesen, DNV GL. In Norwegian.

DNV GL, 2014. Vedlegg V0.02, Miljøtiltak Ved Vraket av U-864, Design av tildekking og kontroll av utlegging. 5 December, 2014. In Norwegian.

Drott, A., L. Lambertsson, E. Björn and U. Skyllberg. 2008. Do Potential Methylation Rates Reflect Accumulated Methyl Mercury in Contaminated Sediments? *Environ. Sci. Technol.* Vol. 42, pp. 153-158.

Ebrahimi, A., M. Viswanath, M. Zhu and J. Beech. 2014. Methodology to Evaluate Geotechnical Stability of a Subaqueous Cap Placed on Soft Sediments. Geo-Congress 2014 Technical Papers, GSP 234, pp. 1910-1918.

Ebrahimi, A. 2015. Personal communications. Project Engineer, Ph.D., P.E., Geosyntec Consultants, Houston, TX.

Ebrahimi, A., M. Erten, C. Carlson, T. Coraspe, M. Zhu and J. Beech. 2016. Integrated Subsurface Investigation for Sediment Capping Projects. In proceedings, ASCE Geo-Chicago 2016 Conference, Chicago, IL, August 14-18 August 2016 (under publication).

Eek, E., P. Cappelen, J. Holme, G. Breedveld and A. Hauge. 2003. Subaqueous Disposal and Capping of Dredged Material: Sedimentation and Bearing Capacity. Proceedings of 2nd International Symposium on Contaminated Sediments. 26-28 May, Quebec City, Canada, pp. 229-332.

Eek, E., G. Cornelissen, A. Kibsgaard, and G. Breedveld. 2008. Diffusion of PAH and PCB from contaminated sediments with and without mineral capping; measurement and modelling. *Chemosphere*. Vol. 71, No. 9, pp. 1629-1638.

Eek, E., A. Pettersen, G. Cornelissen and G. Breedveld. 2009. Field Measurements of Sediment to Water Fluxes of PAHs and PCBs for In Situ Quantification of Capping Effectiveness. In *Remediation of Contaminated Sediments - 2009. Proceedings of the Fifth International Conference on Remediation of Contaminated Sediments*. Battelle, primary sponsor. Jacksonville, FL, February 2-5, 2009.

Eek, E., M. Stölen, M. Schaanning, B. Beylich, J. Gunnarsson, G. Cornelissen, K. Amstätter, R. Samuelssen, G. Kirkhaug, P. Höivold and P. Storholdt. 2010. OPTICAP - Resultater fra Utførte Testforsøk. Hvor Sikre er vi på at Tildekking Fungerer? Når er det Eignet – Når er det Uegnet met Tynnsjikttildekking? Presentation to Miljøringen, May 26, 2010. In Norwegian.

Eek, E., G. Breedveld and A. Kibsgaard. 2013. Notat: Hvordan kan erfaringene med tiltak mot forurensede sedimenter komme mineralindustrien til nytte? *Mineralproduksjon*, Vol. 3, pp. B41-B46. In Norwegian.

Ekman, C. 2004. Föroreningstransport i grundvatten - En modelljämförelse Contaminant transport in groundwater - A comparison of models. Examensarbete, Uppsala University, Maj 2004. In Swedish.

Elander, P. 2012. Sanering av bottnar i akvatiska miljöer – När behöver vi sanera? Hur kan vi sanera? Fungerar det? Vattendagarna workshop, Jönköping, October 2012. In Swedish.

Elander, P. 2013. Muddringsprojekt, Praktiska exempel. Presented to Nätverket Renare Mark, 2013-01-10. Available on-line. In Swedish.

Ells, S. 2012. Remedial Options for Sediment Sites – Overview of Advantages and Disadvantages. Presentation to the Saginaw – Tittabawassee Rivers Contamination CAG Meeting, 17 September, 2012.

Environment Canada. 2014. Sixth National Assessment of Environmental Effects Monitoring Data from Pulp and Paper Mills Subject to the Pulp and Paper Effluent Regulations. April 2014.

Environmental Security Technology Certification Program (ESTCP). 2008. Cost and Performance Report (ER-0510), Field Testing of Activated Carbon Mixing and In Situ Stabilization of PCBs in Sediment at Hunters Point Shipyard Parcel F, San Francisco Bay, California. August 2008.

Eriksson, H. 2014. Pilot testing of freeze dredging, capping and timber removal to support remediation of mercury contaminated sediments at Karlshäll, Luleå, Sweden. Presented by Henrik Eriksson to NORDROCS conference, Stockholm, 17 September, 2014.

Exponent. 1999. Ward Cove Sediment Remediation Project, Detailed Technical Studies Report, Volume I, Remedial Investigation and Feasibility Study. Prepared for Ketchikan Pulp Company. May 1999.

Fathi, M., J. Ridal, D. Lean and J. Blais. 2013. Do wood fibers from a pulp mill affect the distribution of total and methyl mercury in river sediments? *J. Great Lakes Res.* Vol. 39, pp. 66-73.

Fitzpatrick, A., C. Houck and T. Thompson. 2002. Capping in a Wetland. Presentation to USEPA meeting, entitled *Managing Ecological Risks at Contaminated Sediment Sites*, June 5, 2002.

Foster, R. 2012. Thunder Bay North Harbour - Fish Community and Habitat Synthesis. Prepared for Environment Canada. December 21, 2012.

Gailani, J., L. Jin, J. McNeil and W. Lick. 2001. Effects of bentonite on sediment erosion rates. DOER Technical Notes Collection. ERDC TN-DOER-N9. U.S. Army Engineer Research and Development Center (ERDC). April 2001.

Gavaskar, A., S. Chattopadhyay, E. Drescher and M. Hacksworth. 2005. An Innovative Capping Technology for Contaminated Sediments. In *Remediation of Contaminated Sediments - 2005. Proceedings of the Third International Conference on Remediation of Contaminated Sediments*. Battelle, primary sponsor. New Orleans, LA. January 24-27, 2005.

Geary, M. 2012. In Situ Capping of Contaminated Sediments Using Active Media. Presented to the Mid-Atlantic Contaminated Sediment Symposium, March 28, 2012.

Germano, J., D. Rhoads, R. Valente, D. Carey and M. Solan. 2011. The Use of Sediment Profile Imaging (SPI) for Environmental Impact Assessments and Monitoring Studies: Lessons Learned

From the Past Four Decades. *Oceanography and Marine Biology: An Annual Review*. Vol. 49, pp. 235-298.

Ghosh, U. 2012. New Advances in Contaminated Sediment Remediation by Controlling Bioavailability. Presentation to the Lower Duwamish Waterway Workshop, 14-15 February, 2012.

Ghosh, U., B. Reed, S. Kwon, J. Thomas, T. Bridges, D. Farrar, V. Magar, L. Levine. 2008. Rational Selection of Tailored Amendment Mixtures and Composites for In Situ Remediation of Contaminated Sediments, SERDP Project ER-1491. December 2008.

Ghosh, U., R. Luthy, G. Cornelissen, D. Werner and C. Menzie. 2011. In-Situ Sorbent Amendments: A New Direction in Contaminated Sediment Management. *Environ. Sci. Technol.* Vol. 45, pp. 1163-1168.

Glaser, D. and W. Hovel. 2011. Technical Memorandum, Bioturbation Depth in the Onondaga Lake Cap. January 13, 2011.

Go, J, D. Lampert, J. Stegeman and D. Reible. 2009. Predicting contaminant fate and transport in sediment caps: mathematical modelling approaches. *Applied Geochem.* Vol. 24, pp. 1347-1353.

Golder Associates (Golder). 2003. Limnofix In-Situ Sediment Treatment Technology. White Paper. Available on-line.

Golder. 2014. Lillesjön – åtgärdsförslag och fortsatta arbeten. Informationsmöte 2014-01-28, Grimstorp. In Swedish.

Göteborgs Stads Nyhetstidning. 2015. Lundbyhamnen, Göta Älv och Göteborghamnen. In Swedish.

Gustafsson, A., J. Gunnarsson, G. Cornelissen and E. Sjöholm. 2015. Evaluation of Processed Kraft Lignin as an Alternative Sorbent for Sediment Remediation with Thin-Layer Capping: Comparison with Activated Carbon Derived from Charcoal and Coconut. In *Remediation of Contaminated Sediments - 2015. Proceedings of the Eighth International Conference on Remediation of Contaminated Sediments*. Battelle, primary sponsor. New Orleans, LA, January 12-15, 2015.

Gunnarsson, J, A. Gustafsson, S. Josefsson, G. Cornelissen, I. Allen and M. Schaanning. 2015. Remediation of Dioxin-Contaminated Marine Sediments Using Thin-Layer Capping with Activated Carbon and Other Sorbents: Evaluation of Bioavailability Assessment Technique. In *Remediation of Contaminated Sediments - 2015. Proceedings of the Eighth International Conference on Remediation of Contaminated Sediments*. Battelle, primary sponsor. New Orleans, LA, January 12-15, 2015.

Hammar, L., M. Magnusson, R. Rosenberg and Å Granmo. 2009. Miljöeffekter vid muddring och dumpning – En litteratursammanställning, Marine Monitoring AB. Rapport 5999. Oktober 2009. In Swedish.

Hawkins, A., G. Tracey, J. Swanko, K. Gardner and J. Melton. 2011. Naval Facilities Engineering Command (NAVFAC) Technical Report, TR-2366-ENV. Reactive Capping Mat Development and Evaluation for Sequestering Contaminants in Sediment, Final Report. August 2011.

- Himmelheber, D. 2008. In Situ Capping of Contaminated Sediments: Spatial and Temporal Characterization of Biogeochemical and Contaminant Biotransformation Processes. PhD dissertation. Georgia Institute of Technology. April 2008.
- Holm, G., K. Lundberg and B. Svedberg. 2013. Sustainable Management of Contaminated Sediments. Proceedings of the 18th International Conference on Soil Mechanics and Geotechnical Engineering, Paris 2013.
- Horne Engineering Services, Inc. and Severson Environmental Services (Horne and Severson). 2004. Revised Final Site Work Plan for Comparative Validation of Innovative “Active Capping” Technologies, Anacostia River, Washington D.C. February 2004.
- Hull, J., J. Jersak and B. McDonald. 1998b. Examination of a New Remedial Technology for Capping Contaminated Sediments: Large-Scale Laboratory Evaluation of Sediment Mixing and Cap Resistance to Erosive Forces. *Remediation*. Summer Issue, pp. 37-58.
- Hull, J., J. Jersak and C. Kasper. 1999a. In Situ Capping of Contaminated Sediments: Comparing the Relative Effectiveness of Sand Versus Clay Mineral-Based Sediment Caps. Proceedings of the 1999 Conference on Hazardous Waste Research. St. Louis, MO, May 24-27, 1999.
- Hull, J., J. Jersak and H. Crowell. 1999b. “Biofriendly” Remediation of Impacted Wetlands. Proceedings of Wetlands & Remediation, an International Conference, Salt Lake City, UT, November 16-17, 1999.
- Hull, J., J. Collins, S. Collins, J. Jersak, Great Lakes Sediment Remediation, LLC; T. Lee and E. Hritsuk. 2015. Quality Control Aspects of Active Cap Materials & Placement at East Branch Grand Calumet River: Evaluation of Sorption Characteristics of AquaGate+Organoclay™ Coated Materials. Presented at Sediment Management Work Group (SMWG) Fall Meeting, Arlington, VA, December 2-3, 2015.
- Hylander, L. and M. Goodsite. 2006. Environmental Costs of mercury pollution. *Sci. Total Environ.* Vol. 368, pp. 352-370.
- Hyötyläinen, T. and A. Oikari. 2003. Use of Deployed Mussels (*Anodonta anatina*) in Risk Assessment of the Remediation Actions Made at a Creosote-Contaminated Lake Sediment Site. Abstract for poster presented at Finnish Society of Toxicology Annual Symposium, Environment-Human Interconnections, Jyväskylä (Ambiotica), Finland, 15-16 May, 2003.
- Integral Consulting, Inc. (Integral). 2009. Final Remedial Action Report. Sediment Remediation in Ward Cove Marine Operable Unit, Ketchikan Pulp Company Site, Ketchikan, Alaska. Prepared for Ketchikan Pulp Company. September 30, 2009.
- Interstate Technology & Regulatory Council (ITRC). 2011. Incorporating bioavailability considerations into the evaluation of contaminated sediment sites. CS-1. Washington, D.C.: Interstate Technology & Regulatory Council, Contaminated Sediments Team (ITRC). February 2011.
- ITRC. 2014. Contaminated Sediments Remediation, Remedy Selection for Contaminated Sediments. August 2014.
- Jacobs, P. 2003. Monitoring of Subaqueous Depots with Active Barrier Systems for Contaminated Dredged Material using Dialysis Samplers and DGT Probes. *J. Soils & Sediments*. Vol. 3, No. 2, pp. 100-107.

Jacobs, P. And U. Förstner, 1999. Concept of Subaqueous Capping of Contaminated Sediments with Active Barrier Systems (ABS) Using Natural and Modified Zeolites. *Wat. Res.* Vol. 33, No. 9, pp. 2083-2087.

Janssen, E., Y. Choi and R. Luthy. 2012. Assessment of Nontoxic, Secondary Effects of Sorbent Amendment to Sediments on the Deposit-Feeding Organism *Neanthes arenaceodentata*. *Environ. Sci. Technol.* Vol. 46, pp. 4134-4141.

Janssen, E. and B. Beckingham. 2013. Biological Responses to Activated Carbon Amendments in Sediment Remediation. *Environ. Sci. Technol.*, Vol. 47, pp. 7595-7607.

Jersak, J. and E. Eek. 2009. Managing TBT-contaminated marine sediments using innovative capping remedies. In *Remediation of Contaminated Sediments - 2009. Proceedings of the Fifth International Conference on Remediation of Contaminated Sediments*. Battelle, primary sponsor. Jacksonville, FL, February 2-5, 2009.

Jersak, J. 2012. Recognizing; Optimizing and Expanding the Concept of In-Situ Treatment of Ongoing Contaminant Inputs to Sediments. Abstract submitted to NORDROCS conference, Oslo, Norway, September 18-21, 2012.

Johnson, N., D. Reible, and L. Katz. 2010. Biogeochemical changes and mercury methylation beneath an in-situ sediment cap. *Environ. Sci. Technol.* Vol. 44, pp. 7280-7286.

Jonker, M., M. Suijkerbuijk, H. Schmitt and T. Sinnige. 2009. Ecotoxicological effects of activated carbon addition to sediments. *Environ Sci Technol.* Vol. 43, pp. 5959–5966.

Josefsson, S. 2011. Fate and transport of POPs in the aquatic environment – with focus on contaminated sediments. Doctoral Thesis, Umeå University. 2011.

Keeley, K. and J. Wakeman. 2001. Planning for Cap Design and Construction During the RI/FS: Case Studies from Region 10. Prepared for USEPA Region 10 and USACE.

Klima og Forurensnings Direktoratet (Klif). 2011. Bruk av miljøgiftbudsjett ved gjennomføring av tiltak i forurenset sjøbunn - Utredning av muligheter. Prepared by NGI; DNV and NIVA. TA-2804/2011. In Norwegian.

Klif. 2011. Nøkkellindikator for det nasjonale arbeidet med forurenset sjøbunn - Retningslinjer for bruk av beregningsverktøy. Prepared by Multiconsult. TA-2817/2011. In Norwegian.

Klif. 2011. Veileder. Risikovurdering av forurenset sediment. TA-2802/2011. In Norwegian.

Klif. 2012. Veileder. Håndtering av sedimenter. TA 2960/2012. September 2012. In Norwegian.

Knox, A., M. Paller, D. Reible and I. Petrisor. 2007. Sequestering Agents for Metal Immobilization - Application to the Development of Active Caps in Fresh- and Salt-Water Sediments. In *Remediation of Contaminated Sediments - 2007. Proceedings of the Fourth International Conference on Remediation of Contaminated Sediments*. Battelle, primary sponsor. Savannah, GA, January 2007.

Knox, A., M. Paller and J. Roberts. 2012. Active Capping Technology – New Approaches for *In Situ* Remediation of Contaminated Sediments. *Remediation*. Spring 2012. pp. 93-117.

Kupryianchyk, D., M. Rakowska, D. Reible, J. Harmsen, G. Cornelissen, M. van Veggel, S. Hale, T. Grotenhuis and A. Koelmans. 2015. Positioning Activated Carbon Amendment Technologies in a Novel Framework for Sediment Management. *Integr. Envir. Assess. Mgmt.* Vol. 11, No. 2, pp. 221-234.

Lampert, D. and D. Reible. 2009. An Analytical Modeling Approach for Evaluation of Capping of Contaminated Sediments. *Soil and Sediment Contamination.* Vol. 18, pp. 470-488.

Lampert, D., W. Sarchet and D. Reible. 2011. Assessing the Effectiveness of Thin-Layer Sand Caps for Contaminated Sediment Management through Passive Sampling. *Environ. Sci. Technol.* Vol. 45, pp. 8437-8443.

Laugesen, J. 2015 / 2016. Personal communications. PhD, Chief Specialist, Environmental Monitoring, DNV GL, Oslo, Norway.

Ling, H. and D. Leshchinsky. 1998. Appendix C: Case Studies on Geotechnical Aspects of In-Situ Sand Capping. In: Guidance for In-Situ Subaqueous Capping of Contaminated Sediments (see Palermo et al., 1998a reference).

Linkov, I., F. Satterstrom, G. Kiker, T. Seager, T. Bridges, K. Gardner, S. Rogers, D. Belluck and A. Meyer. 2006. Multicriteria Decision Analysis: A Comprehensive Decision Approach for Management of Contaminated Sediments. *Risk Analysis.* Vol. 26, No. 1, pp. 61-78.

Liu, C., J. Jay, R. Ika, J. Shine and T. Ford. 2001. Capping Efficiency for Metal-Contaminated Marine Sediment under Conditions of Submarine Groundwater Discharge. *Environ. Sci. Technol.* Vol. 35, pp. 2334-2340.

Lowry, G., J. Fairey, D. Dzombak and J. VanBriesen. 2009. Predicting and Validating the Field Performance of Novel Sorbent-amended Sediment Caps. A Final Report Submitted to The NOAA/UNH Cooperative Institute for Coastal and Estuarine Environmental Technology (CICEET). January 8, 2009.

Luthy, R., J. Zimmerman, P. McLeod, R. Zare, T. Mahajan, U. Ghosh, T. Bridges, R. Millward and J. Talley. 2004. In-Situ Stabilization of Persistent Organic Contaminants in Marine Sediments (CU-1207). Final Technical Report, Fiscal Years 2001, 2002, 2003. Strategic Environmental Research and Development Program (SERDP). April, 2004.

Lyons, T., J. Ickes, V. Magar, C. Albro, L. Cumming, B. Bachman, T. Fredette, T. Myers, M. Keegen, K. Marcy and O. Guza. 2006. Evaluation of Contaminant Resuspension Potential During Cap Placement at Two Dissimilar Sites. *J. Environ. Eng.*, Vol. 132, No. 4, pp. 505- 514.

Länsstyrelsen Blekinge. 2014. Regionalt program förorenade områden 2015-2017 i Blekinges län. Dnr: 577-3497-2014. In Swedish.

Länsstyrelsen Blekinge. No date. Operativ övervakning av miljögifter – Praktisk vägledning. In Swedish.

Länsstyrelsen Dalarna. 2011. Inventering av förorenade områden i Dalarnas län, Förorenade sediment, Miljöheten. Rapport 2011:19. December 2011. In Swedish.

Länsstyrelsen Gotland. 2012. Regionalt program för arbetet med förorenade områden 2012-2014, i Gotlands län. Rapporter om natur och miljö – nr. 2011:07. Reviderad dec 2012. In Swedish.

Länsstyrelsen Gävleborg. 2014. Föreade områden i Gävleborgs län Regionalt program 2015-2017. Dnr 577-5087-14. Dossnr 00-001-072. In Swedish.

Länsstyrelsen Gävleborg. 2016. Comments provided in a 23 August letter provided by the agency following their review of draft documentation.

Länsstyrelsen Halland. 2014. Regionalt program 2015 Efterbehandling av föreade områden i Hallands län. Dnr: 577-7251-14. 2014. In Swedish.

Länsstyrelsen Jämtland. 2013. Regionalt program föreade områden 2014-2016. Dnr 577-6354-12. Reviderat 2013-10-31. In Swedish.

Länsstyrelsen Jönköping. 2011. Regionalt program för efterbehandling av föreade områden Jönköpings län 2012-2014. Meddelande nr 2011:32. In Swedish.

Länsstyrelsen Kalmar. 2014. Program för regional miljöövervakning i Kalmar län 2015-2020. Meddelandeserien nr 2014:14. In Swedish.

Länsstyrelsen Kalmar. 2015. Prioriteringslista över föreade områden i Kalmar län 2015. In Swedish.

Länsstyrelsen Kronoberg. 2012. Regionalt program föreade områden 2015-2017. In Swedish.

Länsstyrelsen Norrbotten. 2014a. Regionalt program för efterbehandling av föreade områden i Norrbottens län 2015-2017. Diarienummer 577-11978-14. In Swedish.

Länsstyrelsen Norrbotten. 2014b. Program för regional miljöövervakning i Norrbottens län 2015-2020. Oktober 2014. In Swedish.

Länsstyrelsen Skånes. 2013. Regionalt program för arbetet med föreade områden 2013-2015 Länsstyrelsen Skåne. Diarienummer 577-22294-2013. Reviderat 2014-10-31. In Swedish.

Länsstyrelsen Skåne. 2014. Miljöövervakning i Skåne Länsprogram för regional miljöövervakning i Skåne 2015-2020. Diarienummer 502-7324-2013. Rapportnummer 2014:27. In Swedish.

Länsstyrelsen Stockholm. 2014a. Regionalt program för efterbehandling av föreade områden Stockholms län år 2015–2017. Rapport 2014:17. In Swedish.

Länsstyrelsen Stockholm. 2014b. Regionalt miljöövervakningsprogram för Stockholms län 2015–2020. Rapport 2014:16. In Swedish.

Länsstyrelsen Stockholm. 2014c. Inventering av föreade sediment, översikt av föroreningsituationen i utvalda vattenområden. Fakta 2014:14. Publicerad 2014-06-16. In Swedish.

Länsstyrelsen Stockholm. 2015. Miljögifter i sediment, i Stockholms skärgård och östra Mälaren 2013. Rapport 2015:3. In Swedish.

Länsstyrelsen Södermanland. 2014. Regionalt program föreade områden 2015-2017 i Södermanlands län. Reviderat: 2014-10-30. In Swedish.

Länsstyrelsen Uppsala. No date. Regionalt program för arbetet med föreade områden i Uppsalas Län 2015-2017. In Swedish.

- Länsstyrelsen Uppsala. 2015. De tio högst prioriterade förorenade områdena i Uppsala län. From internet. 2015-10-24. In Swedish.
- Länsstyrelsen Värmland. 2011. Regionalt program för arbetet med förorenade områden i Värmlands län 2012. Publ nr 2011:17. In Swedish.
- Länsstyrelsen Västerbotten. 2010. Regionalt miljöövervakningsprogram Västerbottens län 2009-2014. Meddelande 11. In Swedish.
- Länsstyrelsen Västerbotten. 2015. Förorenade områden prioritilist. 2015-03-09. In Swedish.
- Länsstyrelsen Västernorrland. 2014. Regionalt program för arbete med förorenade områden Västernorrlands län 2015-2017. Rapport nr 2014:20. December 2014. In Swedish.
- Länsstyrelsen Västmanland. 2014. Regionalt program för avhjälpande av förorenings-skador 2015-2017. 577-3855-14. Rapport 2014:15. In Swedish.
- Länsstyrelsen Västra Götaland. 2013. Regionalt program 2014-2016 förorenade områden i Västra Götalands län. Upprättat: 2013-10-30. In Swedish.
- Länsstyrelsen Västra Götaland. 2006. Lundbyhamnen i Göteborg Harbor. In Swedish.
- Länsstyrelsen Örebro. 2013. Regionalt program för efterbehandling av förorenade områden i Örebro län 2014-2016. Publ. nr 2013:32. 31 Oktober, 2013. In Swedish.
- Länsstyrelsen Östergötland. 2014. Regionalt program för efterbehandling av förorenade områden Östergötlands län 2015-2017. Dnr 577-7861-14. Rapport nr: 2014:19. In Swedish.
- Magar, V., Chadwick, B., T. Bridges, P. Fuchsman, J. Conder, T. Dekker, J. Steevens, K. Gustavson and M. Mills. 2009. Technical Guide – Monitored Natural Recovery at Contaminated Sediment Sites. ESTCP Project ER-0622. May 2009.
- Mastbergen, D., W. Van Kesteren and G. Loman. 2004. Controlled submerged deposition of fine grained dredged sediment with various diffuser types. Paper presented at WODCON XVII 2004, Hamburg, Germany.
- Maynard, S. 1998. Appendix A: Armor Layer Design. In: Guidance for In-Situ Subaqueous Capping of Contaminated Sediments (see Palermo et al., 1998a reference).
- McLinn, E. and T. Stolzenburg. 2009a. Ebullition-Facilitated Transport of Manufactured Gas Plant Tar From Contaminated Sediment. *Environ. Tox. Chem.* Vol. 28, No. 11, pp.2298-2306.
- McLinn, E. and T. Stolzenburg. 2009b. Investigation of NAPL Transport Through a Model Sand Cap During Ebullition. *Remediation*. Spring issue, pp. 63-69.
- McLinn, E., J. Rice, H. Hinke and J. Macri. 2010. Carving Sand – Precision Dredging to Make a Mold for a Low-Permeability Cap. Proceedings of the 41st Texas A&M Dredging Seminar. Center for Dredging Studies, Texas A&M University, 7-9 June, 2010.
- Menzie, C. 2012. Monitoring the efficacy and environmental effects of an in-situ remedy for contaminated sediment. Presented at NEMC. August 2012.

- MERAG. 2007. Metals Environmental Risk Assessment Guidance. International Council on Mining & Metals. Available on-line.
- Meriläinen, P. 2007. Exposure Assessment of Animals to Sediments Contaminated by Pulp and Paper Mills. Academic dissertation. University of Jyväskylä, Finland. August 2007.
- Merritt, K. J. Conder, V. Magar, V. Kirtay and B. Chadwick. 2009. Enhanced Monitored Natural Recovery (EMNR) Case Studies Review. SPAWAR Technical Report 1983. May 2009.
- Merritt, K. J. Conder, V. Kirtay, B. Chadwick and V. Magar. 2010a. A review of thin-layer placement applications to enhance natural recovery of contaminated sediment. *Integr Environ Assess Manag*, vol. 6, no. 4, pp. 749-760.
- Merritt, K., R. Fimmen, B. Sass, E. Foote, M. Mills, J. Leather and V. Magar. 2010b. Characterization of contaminant migration potential in the vicinity of an in-place sand cap. *J. Soils Sediments*. Vol. 10, pp. 440-450.
- Mohan, R., D. Mageau and M. Brown. 1999. Modeling the Geophysical Impacts of Underwater In-Situ Cap Construction. *MTS Journal*. Vol. 33, No. 3, pp. 80-87.
- Mohan, R., M. Brown and C. Barnes. 2000. Design criteria and theoretical basis for capping contaminated marine sediments. *Applied Ocean Research*, Vol. 22, pp. 85-93.
- Mohan, R., C. Stivers, G. Bolin, M. Leone, H. Costa and M. Mahoney. 2008. Cleanup Strategies at MGP Sediment Sites – A State of the Art Review. Presentation to the 2008 MGP Conference, Mystic, Connecticut, September 24, 2008.
- Mutch, R., E. Weber and D. Kearney. 2005. Anacostia River Capping Study: Monitoring Cap Uplift Due to Gas Entrapment. In *Remediation of Contaminated Sediments - 2005. Proceedings of the Third International Conference on Remediation of Contaminated Sediments*. Battelle, primary sponsor. New Orleans, LA. January 24-27, 2005.
- Nadeau, S. and M. Skaggs. 2008. Importance of Source Control: Recontamination Of Completed Sediment Remediation Projects. Presentation to 24th Annual International Conference On Soils, Sediments And Water. Amherst, MA. October 22, 2008.
- Naturvårdsverket. 2003. Efterbehandling av förorenade sediment – en vägledning. Rapport 5254. December 2003. In Swedish.
- Naturvårdsverket. 2009a. Att välja efterbehandlingsåtgärd: En vägledning från övergripande till mätbara åtgärds mål. Rapport 5978. September 2008. In Swedish.
- Naturvårdsverket. 2009b. Riskbedömning av förorenade områden: En vägledning från förenklad till fördjupad riskbedömning. Rapport 5977. December 2009. In Swedish.
- Naturvårdsverket. 2010. Muddring och hantering av muddermassor. Vägledning om tillämpningen av 11 och 15 kapitlet miljöbalken. Miljörättsavdelningen 2010-02-18. In Swedish.
- U.S. Naval Facilities Engineering Command (NAVFAC). 2003. Implementation Guide for Assessing and Managing Contaminated Sediment at Navy Sites. Prepared by SPAWAR Systems Center (SSC), San Diego. Contributing author, Battelle. NFESC User's Guide UG-2053-ENV. March 2003.

NAVFAC. 2009. Evaluating the groundwater/ surface water interface, RITS Fall 2009. Presented to U.S. Geological Survey, Columbia, S.C. Fall, 2009.

Norwegian Geotechnical Institute and Norwegian Water Research Institute (NGI and NIVA). 2012. OPTICAP – Nye Materialer og Nye Metoder for Utlekking av Tynn Tildekking på Forurenset Sjøbunn. Sluttrapport, September 2012. In Norwegian.

National Research Council, Committee on Sediment Dredging at Superfund Megsites (NRC). 2007. Sediment Dredging at Superfund Megsites: Assessing the Effectiveness. National Academies Press. 236 p.

National Grid, 2013. Comments on the United States Environmental Protection Agency December 2012 Proposed Remedial Action Plan for the Gowanus Canal Superfund Site. Submitted April 25, 2013.

New York State Department of Environmental Conservation. Division of Fish, Wildlife and Marine Resources, Bureau of Habitat (NYDEC). 2014. Screening and Assessment of Contaminated Sediment. June 24, 2014.

Nybohm, I, S. Abel, G. C. Waissi, K. Väänänen, K. Mäenpää, M. Leppanen, J. Kukkonen and J. Akkanen. 2016. Effects of activated carbon on PCB bioaccumulation and biological responses of *Chironomus riparius* in full life cycle test. *Environ. Sci. Technol.*, just-accepted manuscript.

Nykvarns kommun (Stockholms län). 2004. Projekt Turingen - Etapp II: Isolering av kvicksilverförorenade sediment. Slutrapport, 28 maj, 2004. In Swedish.

Olsta, J. 2012. In-Situ Active Capping Case Studies. Paper presented to ASTM Fifth International Symposium on Contaminated Sediments, Montreal, Canada, May 24, 2012.

Oregon Department of Environmental Quality and The University of Texas at Austin (Oregon DEQ and UT). 2005. Organoclay Laboratory Study, McCormick and Baxter Creosoting Company, Portland, Oregon. D. Reible, principle investigator. September 2005.

Palermo, M. 1991a. Site Selection Considerations for Capping. Dredging Research, Technical Notes. DRP-5-04. November 1991.

Palermo, M. 1991b. Design Requirements for Capping. Dredging Research, Technical Notes. DRP-5-03. February 1991.

Palermo, M. 1991c. Equipment and Placement Techniques for Capping. Dredging Research Technical Notes. DRP-5-05. November 1991.

Palermo, M. 2015. Construction and Navigation Tolerances for Cap Design. In *Remediation of Contaminated Sediments - 2015. Proceedings of the Eighth International Conference on Remediation of Contaminated Sediments*. Battelle, primary sponsor. New Orleans, LA, January 12-15, 2015.

Palermo, M., J. Miller, S. Maynard and D. Reible. 1998a. Assessment and Remediation of Contaminated Sediments (ARCS) Program Guidance for In-Situ Subaqueous Capping of Contaminated Sediments. EPA 905/B-96/004. Prepared for the Great Lakes National Program Office, United States Environmental Protection Agency, Chicago, Ill.

- Palermo, M., J. Clausner, M. Rollings, G. Williams, T. Myers, T. Fredette and R. Randall. 1998b. Guidance for Subaqueous Dredged Material Capping, Technical Report DOER-1, U.S. Army Engineer Waterways Experiment Station, Vicksburg, MS. June 1998.
- Palermo, M., P. Schroeder, Y. Rivera, C. Ruiz, D. Clarke, J. Gailani, J. Clausner, M. Hynes, T. Fredette, B. Tardy, L. Peyman-Dove and A. Risko. 1999. Options for In Situ Capping of Palos Verdes Shelf Contaminated Sediments. U.S. Army Corps of Engineers (USACE) Waterways Experiment Station. Technical Report EL-99-2. March 1999.
- Palermo, M., T. Thompson and F. Swed. 2002. White Paper No. 6B – In-Situ Capping as a Remedy Component for the Lower Fox River. Response to a Document by The Johnson Company, Ecosystem-Based Rehabilitation Plan – An Integrated Plan for Habitat Enhancement and Expedited Exposure Reduction in the Lower Fox River and Green Bay (January 2002). December 2002.
- Palermo, M. D. Reible, D. Hayes and J. Verduin. 2004. Onondaga Lake Feasibility Study, Appendix H: Technical Evaluation of In-Situ Capping as a Remedy Component for Onondaga Lake. November 2004.
- Palermo, M. and D. Reible. 2007. The Evolution of Cap Design. Proceedings, World Dredging Congress WODCON XVIII, Lake Buena Vista, FL. May 27-June 1, 2007, pp. 323-332.
- Palermo, M., P. Schroeder, T. Estes and N. Francingues. 2008. Technical Guidelines for Environmental Dredging of Contaminated Sediments. ERDC/EL TR-08-29. September 2008.
- Papadopoulos & Associates, Inc. 2010. Groundwater Upwelling Velocities in Remediation Areas, Onondaga Lake Bottom Subsite. December 29, 2010.
- Parsons. 2011. Onondaga Lake, Capping Field Demonstration Work Plan. October 2011.
- Parsons. 2012. Onondaga Lake, Capping Calibration Work Plan. August 2012.
- Parsons. 2013. Onondaga Lake, Capping Field Demonstration Summary Report. December 2013.
- Parsons and Anchor QEA. 2012a. Onondaga Lake Capping, Dredging, Habitat and Profundal Zone (Sediment Management Unit 8) Final Design. March 2012.
- Parsons and Anchor QEA. 2012b. Onondaga Lake Capping, Dredging, Habitat and Profundal Zone (SMU 8) Final Design. Appendix B – Cap Modeling. March 2012.
- Patmont, C. 2008. Emerging Trends in Contaminated Sediment Cleanup. Presented to Best Practices Group. August 28, 2008.
- Patmont, C. and M. Palermo. 2007. Case studies of environmental dredging residuals and management implications. In *Remediation of Contaminated Sediments - 2007. Proceedings of the Fourth International Conference on Remediation of Contaminated Sediments*. Battelle, primary sponsor. Savannah, GA, January 2007.
- Patmont, C., U. Ghosh, P. LaRosa, C. Menzie, R. Luthy, M. Greenberg, G. Cornelissen, E. Eek, J. Collins, J. Hull, T. Hjartland, E. Glaza, J. Bleiler, J. Quadrini and D. Reible. 2014. In Situ Sediment Treatment Using Activated Carbon: A Demonstrated Sediment Cleanup Technology. *Integ. Environ. Assess. Mngmt.* Vol. 11, No. 2, pp. 195-207.

Petrovski, D., M. Corcoran, J. May and D. Patrick. 2005. Sediment Capping and Natural Recovery. Contaminant Transport Fundamentals with Applications to Sediment Caps. U.S. Army Corps of Engineers, Engineer Research and Development Center (ERDC). TR-05-19. September 2005.

Petsonk, A. and R. Bergman. 2006. Results From Monitoring Remediation of Mercury Contaminated Sediments in Lake Turingen, Sweden. Proceedings of NORDROCS conference, Malmö, Sverige, 20-21 September, 2006..

Petsonk, A., J. Jonsson and F. Marelius. 2008. Design and implementation of an erosion protection barrier for mercury-contaminated sediments at Tollare, Sweden. Proceedings of SedNet conference, Oslo, Norway, 27-29 May, 2008..

von Post, 2005. Ryssbysjön, Nässjö Kommun – Åtgärdsutredning och Riskvärdering. MiljöManagement Svenska AB. December 7, 2005. In Swedish.

Pöykiö, R., H. Nurmesniemi and V.-A. Kivilinna. 2008. EOX concentrations in sediment in the part of the Bothnian Bay affected by effluents from the pulp and paper mills at Kemi, Northern Finland. *Environ. Monit. Assess.* Vol. 139, pp. 183-194.

Rapaglia, J. and H. Bokuniewicz. 2009. The effect of groundwater advection on salinity in pore waters of permeable sediments. *Limnol. Oceanogr.*, Vol. 54, No. 2. Pre-publish release (no page numbers).

Ratia, H. 2013. Ecotoxicological Status of a Watercourse Recovering from Heavy Loading by Pulp and Paper Industry. Academic dissertation. University of Jyväskylä, Finland. March 15, 2013.

Regnell, O., M. Elert, L. O. Höglund, A. H. Falk and A. Svensson. 2014. Linking Cellulose Fiber Sediment Methyl Mercury Levels to Organic Matter Decay and Major Element Composition. *Ambio*. Available on-line. Royal Swedish Academy of Sciences, 2014. www.kva.se/en.

Reible, D. 1998. Appendix B: Model for Chemical Containment by a Cap. In: Guidance for In-Situ Subaqueous Capping of Contaminated Sediments (see Palermo et al., 1998a reference).

Reible, D. 2008. Modeling for the Design of Active Layers for Contaminated Sediment Caps. Report prepared for CETCO Remediation Technologies. Technical Reference TR-821. May 2008.

Reible, D. 2016. Personal communications. Professor, Donovan Maddox Distinguished Engineering Chair, Texas Tech University, Lubbock, TX.

Reible, D., D. Lampert, D. Constant, R. Mutch Jr. and Y. Zhu. 2006. Active Capping Demonstration in the Anacostia River, Washington, D.C. *Remediation*. Winter Issue, pp. 39-53.

Reible, D., X. X. Lu, A. Khanam and H. Blischke. 2007. Organoclay for Control of NAPLs in Sediments. In *Remediation of Contaminated Sediments - 2007. Proceedings of the Fourth International Conference on Remediation of Contaminated Sediments*. Battelle, primary sponsor. Savannah, GA, January 2007.

Reible, D., C. Kiehl-Simpson and A. Marquette. 2009. Steady-State Model of Chemical Migration in a Sediment Cap. *Handbook of Environmental Chemistry*, Vol. 5, part T. pp. 161-178.

- Reible, D. and D. Lampert. 2014. Capping for Remediation of Contaminated Sediments, Chapter 12. In: *Processes, Assessment and Remediation of Contaminated Sediments* (D. Reible, editor). Published by Springer. 462 p.
- Renman, G., A. Renman and J.P. Gustafsson. 2013. Reactive sorbents for immobilization of phosphorus released from Baltic Sea sediments. Forskningsrapport till BalticSea2020. December 2013.
- Renholds, J. 1998. In Situ Treatment of Contaminated Sediments. Paper prepared for U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response Technology Innovation Office. December 1998.
- Rollings, M. 2000. Geotechnical Considerations in Contained Aquatic Disposal Design, *DOER Technical Notes Collection* (ERDC TN-DOER-N5), U.S. Army Engineer Research and Development Center, Vicksburg, MS. July 2000.
- Rosen, L., P. E. Back, T. Söderqvist, Å. Soutukorva, P. Brodd and L. Grahn. 2009. Multikriterieanalys (MKA) för hållbar efterbehandling av förorenade områden - Metodutveckling och exempel på tillämpning. Prepared for Naturvårdsverket, Rapport 5981, Februari 2009. In Swedish.
- Ruiz, C., D. Gent, S. Cordero-Zayas and P. Schroeder. 2013. Experimental Evaluation of Enhanced Contaminant and NAPL Transport Due to Gas Ebullition. In *Remediation of Contaminated Sediments - 2013. Proceedings of the Seventh International Conference on Remediation of Contaminated Sediments*. Battelle, primary sponsor. Dallas, TX. February 4-7, 2013.
- Russell, K. 2015 / 2016. Personal communications. Partner and Principal Engineer, Anchor QEA, Syracuse, NY.
- Russell, K., D. Reidy and D. Reible. 2013. Practical Aspects of Contaminant Transport Modeling for Cap Design. In *Remediation of Contaminated Sediments - 2013. Proceedings of the Seventh International Conference on Remediation of Contaminated Sediments*. Battelle, primary sponsor. Dallas, TX. February 4-7, 2013.
- Rønberg, J. T. Borum-Bojsen and A. Vestergaard. Date unknown. Pilot Capping of Contaminated Sediments in the Port of Copenhagen. Available on-line.
- SAO. 2013. Project Memorandum: Faunal and floral colonization of remedial sediment caps. 14 March, 2013. Internal. Available upon request from SAO.
- Samuelsson, G. 2012. In situ remediation of contaminated sediments using thin-layer capping - effectiveness in contaminant retention and ecological implications. Licentiate in Philosophy Thesis 2012:3. Department of Systems Ecology, Marine Ecotoxicology, Stockholms Universitet.
- Samuelsson, G., J. Hedman, M. Elmquist Krusa, J. Gunnarsson and G. Cornelissen. 2015. Capping in situ with activated carbon in Trondheim Harbor (Norway) reduces bioaccumulation of PCBs and PAHs in marine sediment fauna. *Marine Environ. Res.* Vol. 109, pp. 103-112.
- Schaaning, M. and S. Josefsson. 2011. Optimization of Thin Cap Design for Dioxin Retention in Sediments. In *Remediation of Contaminated Sediments - 2011. Proceedings of the Sixth International Conference on Remediation of Contaminated Sediments*. Battelle, primary sponsor. New Orleans, LA, February 7-10, 2011.

Sea Engineering, Inc. (SE). 2006. Sedflume Analysis of Capping Technologies – 30 Months, Anacostia River, Washington, D.C. Draft. December 11, 2006.

Sevenson Environmental Services (Sevenson). 2006/2007. Summary of Silver Lake pilot study sediment capping project. On contractor's website, www.sevenson.com.

Service Engineering Group (SEG). 2005. Appendix B, Quality Assurance Project Plan and Monitoring Plan for St. Louis / Interlake / Duluth Tar Site, Sediment Operable Unit Remediation. Duluth, Minnesota, Revision #3, September 29, 2005.

Statens forurensningstilsyn (SFT). 2000. Toxins in Norwegian fjords. SFT Report 1774/2000. In Norwegian.

SFT. 2002. Tildekking av forurensete sjøsedimenter. TA-1865/2002. In Norwegian.

SFT. 2004. Veileder for håndtering av forurensete sedimenter. TA-1979/2004. February 2004. In Norwegian.

SFT. 2004. Kartlegging av skipsverft: Steder hvor det kan ha oppstått forurensningsproblemer knyttet til bygging, vedlikehold og reparasjon av skip og offshoreinstallasjoner. TA-2044/2004. In Norwegian.

SFT, 2005. Veiledende testprogram for masser til bruk for tildekking av forurensete sedimenter (Tildeckingsveileder). TA-2143/2005. In Norwegian.

SFT. 2006. Miljøtekniske undersøkelser ved skipsverft: Krav til innhold. Informasjon, TA-2218/2006. In Norwegian.

SFT. 2006. Tiltak mot forurensete sedimenter. Anbefalinger og synspunkter fra Nasjonalt råd for forurensete sedimenter. Juni 2006. In Norwegian.

SFT. 2007a. Veileder for klassifisering av miljøkvalitet i fjorder og kystfarvann: Revidering av Klassifisering av Metaller og Organiske Miljøgifter i Vann og Sedimenter. TA-2229/2007. In Norwegian.

SFT. 2007b. Veileder. Risikovurdering av Forurenset Sediment. TA-2230/2007. In Norwegian.

Sveriges geologiska undersökning (SGU). 2014. Fiberbanksprosjektet: Kartläggning av fiberhaltige sediment langs Västernorrlands kust. Authors: A. Apler; J. Nyberg; K. Jönsson; I. Hedlund; S.Å. Heinemo and B. Kjellin. SGU-rapport 2014:16. Juni 2014. In Swedish.

Sjöfartsverket. 2013. Mälarprojektet – Underlag för samråd. Fördjupning och breddning av de allmänna farlederna till Västerås och Köping samt uppgradering av Södertälje kanal och sluss. Samråd – Våren 2013. In Swedish.

Skarholt, A. and J. Jersak. 2008. How Can We Contribute More and Better Knowledge Towards Solving Norway's Sediment TBT Problem? Paper presented (in some form) to Miljøringen (Nettverk For Forurenset Grunn Og Sedimenter). 2008. No details. In Norwegian.

Skyllberg, U., A. Drott and L. Lambertsson. 2006. Förbättrad riskbedömning av kvicksilverbeforende sediment. Prepared for Naturvårdsverket. Rapport 5629, November 2006. In Swedish.

Skyllberg, U., A. Drott, L. Lambertsson, E. Björn, T. Karlsson, T. Johnson, S. Å. Heinemo and H. Holmström. 2007. Net Methylmercury Production as a Basis for Improved Risk Assessment of Mercury Contaminated Sediments. *Ambio*. Vol. 36, No. 6, pp. 4

Sustainable Management of Contaminated Sediments (SMOCS). 2012. Technologies and Solutions for Handling of Contaminated Sediments. State-of-the-art review. Authors, N. Blazauskas; L. Larsson and S. Rostmark. Final, November 2012.

SMHI and Naturvårdsverket. 2013/2014. Fakta om Klimatförändring. Framtidens havsnivåer. AR5 WG 2 2013-2014. In Swedish.

SMOCS. 2013. Sustainable Management of Contaminated Sediments. Guideline. Project Manager, G. Holm, SGI. April 2013.

Snowball, I. 2016. Personal communications. Professor, Uppsala University, Department of Earth Sciences – Natural Resources and Sustainable Development.

Spadaro, P. 2011. Remediation of Contaminated Sediment: A Worldwide Status Survey of Regulation and Technology. *Terra et Aqua*. No. 123, pp. 14-23. June 2011.

Stern, E. 2012. Plan Formulation and Remediation of Contaminated Sediments with Cultural Resources in Bergen Harbor, Norway – A Path Forward. An Independent Third-Party Evaluation. Prepared for Bergen Kommune. Battelle Research Institute. 28 September, 2012.

Sternbeck, J., K. Aquilonius, K. Josefsson, F. Marelius, A. Petsonk and P. Björinger. 2008. Strategi för miljöriskbedömning av förorenade sediment. Prepared for Naturvårdsverket. Rapport 5886, November 2008. In Swedish.

Sullivan, K., L. Chan, B. Lloyd and J. Guo. 2005. In Situ Sediment Bioremediation for Odor Management in Hong Kong. Proceedings of the Third International Conference on Remediation of Contaminated Sediments. New Orleans, LA, U.S.A., 24-27 January, 2005.

Sun, X. and U. Ghosh. 2007. PCB Bioavailability Control in *Lumbriculus Variegatus* through Different Modes of Activated Carbon Addition to Sediments. *Environ. Sci. Technol.* Vol. 41, pp. 4774-4780.

Svanmo, J. 2001. Hantering av förorenat sediment i Östersjöregionen, *En sammanställning av aktörer och lagstiftning*. Examensarbete, Kemiteknik Högskoleingenjörsutbildningen. KTH Stockholm. 2001. In Swedish.

Thomaszewski, J. 2005. ad adf aad s. In: *Assessment and Remediation of Contaminated Sediments*. D. Reible and T. Lanczos, editors. Proceedings of the NATO Advanced Research Workshop on Assessment and Remediation of Contaminated Sediments, Bratislava, Slovak Republic, 18-21 May, 2005. NATO Science Series, IV. Earth and Environmental Sciences – Vol. 73. Published by Springer.

Truitt, C. 1987. Engineering Considerations for Capping Subaqueous Dredged Material Deposits – Design Concepts and Placement Techniques. Environmental Effects of Dredging, Technical Notes. EEDP-01-04. February 1987.

United States Environmental Protection Agency (USEPA). 1994. Assessment and Remediation of Contaminated Sediments (ARCS) Program, Remediation Guidance Document. Document no. EPA 905-B94-003. Great Lakes National Program Office, Chicago, IL.

USEPA. 2003. Handbook: A Compendium of Chemical, Physical and Biological Methods for Assessing and Monitoring the Remediation of Contaminated Sediment Sites. Prepared by Battelle Memorial Institute. February 17, 2003.

USEPA. 2005. *Contaminated Sediment Remediation Guidance for Hazardous Waste Sites*. Report nos. EPA-540-R-05-012 and OSWER 9355.0-85. December 2005.

USEPA. 2007. Demonstration of the AquaBlok® sediment capping technology, Innovative technology evaluation report, SITE program. EPA/540/R-07/008. September 2007.

USEPA. 2010. Methods and tools for the evaluation of Monitored Natural Recovery of contaminated sediments: Lake Hartwell case study. Office of Research and Development, National Risk Management Research Laboratory. September 2010.

USEPA. 2013. Use of Amendments for In Situ Remediation at Superfund Sediment Sites. Office of Superfund Remediation and Technology Innovation. April 2013. 61 pages.

Valdemarsviks Kommun, 2013. Projekt Valdemarsviken – förarbeten. Nätverket Renare Mark, Studiebesök. 2013-10-02. Available on-line. In Swedish.

Verta, M., H. Kiviranta, S. Salo, O. Malve, M. Korhonen, P. Verkasalo, P. Ruokojärvi, E. Rossi, A. Hanski, K. Päätaalo and T. Vartiainen. 2009. A decision framework for possible remediation of contaminated sediments in the River Kymijoki, Finland. *Environ. Sci. Pollut. Res.* Vol. 16, pp. 95-105.

Viana, P., K. Yin and K. Rokne. 2008. Modeling Active Capping Efficacy. 1. Metal and Organometal Contaminated Sediment Remediation. *Environ. Sci. Technol.* Vol. 1, No. 4, pp. 8922-8929.

Vogel, L. 2015. Spreading of Persistent Organic Pollutants from Fiber Bank Sediments. Master's Thesis. Department of Aquatic Sciences and Assessment, Sveriges lantbruksuniversitet (SLU).

Whelan, M., E. Berschinski, T. Wang, J. Verduin and M. Akhavain. DATE. Specifying and Verifying Construction Performance for Remedial Capping – A Case Study From San Diego Bay, California. Proceedings of the Eighteenth World Dredging Congress (WODCON XVIII). Lake Buena Vista, FL. May 27 – June 1, 2007 pp. 315-322.

Wiklund, H. B. 2015. Submarine Slope Instability as a Cause of Contaminated Sediment Dispersal in Ångermanälven, Sweden. Independent Project at the Department of Earth Sciences, Uppsala Universitet. 2015:25.

Wilson, D. and P. Romberg. 1995. Pier 53-55 Sediment Cap and Enhanced Natural Recovery Area Remediation Project, 1993 Data. Elliot Bay / Duwamish Restoration Program. December 1995.

Winter, T. 2002. Subaqueous Capping and Natural Recovery: Understanding the Hydrogeologic Setting at Contaminated Sediment Sites. ERDC TN-DOER-C26. July 2002.

- Wright, S., R. Mohan, M. Brown and C. Kim. 2001. Filter Design Criteria for Sediment Caps in Rivers and Harbors. *Journal of Coastal Research*. Vol. 17, No. 2, pp. 353-362.
- Yuan, Q., K. Valsaraj, D. Reible and C. Wilson. 2007. A Laboratory Study of Sediment and Contaminant Release During Gas Ebullition. *Air & Water Manage. Assoc.* Vol. 57, pp. 1103-1111. September 2007.
- Yuan, Q., K. Valsaraj and D. Reible. 2009. A Model for Contaminant and Sediment Transport via Gas Ebullition Through a Sediment Cap. *Environ. Eng. Sci.* Vol. 26, No. 9, pp. 1381-1391.
- Yin, K., P. Viana, X. Zhao and K. Rockne. 2010. Characterization, performance modeling, and design of an active capping remediation project in a heavily polluted urban channel. *Sci. Total Environ.* Vol. 408, pp. 3454-3463.
- Zeller, C. and B. Cushing. 2006. Panel Discussion: Remedy Effectiveness: What Works, What Doesn't? *Integ. Environ. Assess. Mngmt.* Vol. 2, No. 1, pp. 75-79.
- Zeman, A. 1994, Subaqueous Capping of Very Soft Contaminated Sediments. *Canadian Geotechnical Journal*. Vol. 31, No. 4, pp. 570-577.
- Zeman, A. and T. Patterson. 1997. Preliminary Results of Demonstration Capping Project in Hamilton Harbour. *Water Quality Res. J Canada*. Vol. 32, No. 2, pp. 439-452.
- Östman, V. and P. Elander. 2008. Luleå kommun, Huvudstudie Karlshäll, 2007:04 Åtgärdsutredning. Hifab Envipro. 2008-06-27. In Swedish.



Swedish Geotechnical Institute

SE-581 93 Linköping, Sweden

Phone: +46 13-20 18 00

E-mail: sgi@swedgeo.se

www.swedgeo.se
